Tel: 0756-8979060 Fax: 0756-8895581

# MATERIAL SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identi1ication o1 the

BT-2560N ink Inkjet printing substance/preparation

Use o1 the

substance/preparation

14-Feb-2023 **Issue date** 

Version # 01 CAS# Mixture

Company identilication Zhuhai bentsai printing Technology Co., Ltd.

Zone B, 2nd floor, No. 115 Huawei Road, Xiangzhou, Zhuhai,

GuangdongProvince,P.R. China

Tel: 0756-8895581 **Emergency Information** 

Fax: 0756-889558

### 2. HAZARDS IDENTIFICATION

**GHS label elements** 

Signal word None. **Hazard symbols** None. **Hazard statement** None.

**Precautionary statement** 

**Prevention** None. Response None. None. **Storage Disposal** None.

**Physical hazards** Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

**Environmental hazards** Not classified as an environmental hazard.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent	EC-No.	Classi1ication	
Water	7732-18-5	70-80	231-791-2		
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10	222-359-4		
2-pyrrolidone	616-45-5	< 6.5	210-483-1	Xi;R36	
Aliphatic diol	Proprietary	< 5	Proprietary		
invisible ink. colorant	Proprietary	<6.5	Proprietary		

**Composition comments** This ink supply contains an aqueous ink formulation.

For the full text of the R phrases mentioned in this Section, see Section 16.

MSDS Issue date: 14-Feb-2023 1/5 12094 Version #: 01

Tel: 0756-8979060 Fax: 0756-8895581

4. FIRST AID MEASURES

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if

irritation develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (lo. pressure) Eye contact

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

**General advice** Wash affected areas thoroughly with mild soap and water.

5. FIRE-FIGHTING MEASURES

Flash point > 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

Dry chemical, CO2, water spray or regular foam. Suitable extinguishing media None known.

Extinguishing media which

must not be used 1or sa1ety

reasons

**Unusual 1ire & explosion** 

hazards

None known.

Speci1ic methods None established. **Hazardous combustion** Refer to section 10.

products

**6. ACCIDENTAL RELEASE MEASURES** 

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sever system.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Additional exposure data Exposure limits have not been established for this product.

**Engineering measures to** 

reduce exposure

Use in a well ventilated area.

Personal protective equipment

Skin and body protection Not available.

**General** Use personal protective equipment to minimize exposure to skin and eye. **Hygiene** measures Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

pН

Physical state Liquid. invisible ink Color Odor Not available. 8.5 - 9.5Melting point/Freezing point Not available.

Boiling point, initial boiling point, and boiling range

Not available.

> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020 Flash point

**Auto-ignition temperature** Not available.

(%) Flammability limit - lower

Material name: BT-2560N pigmented ink Issue date: 14-Feb-2023 2 / 5 Version #: 01 12094

MSDS

Zhuhai Bentsai Electronics Co., Ltd.

2/F, Block A, Xinyuan Building, 115 Huawei Rd, Zhuhai, Guangdong, China. Tel: 0756-8979060 Fax: 0756-8895581

Not available.

MSDS Material name: **BT-2560N** pigmented ink 12094 Version #: 01 Issue date: 14-Feb-2023 3 / 5

Tel: 0756-8979060 Fax: 0756-8895581

Flammability limit - upper

(%)

Vapor pressure Not available. Speci1ic gravity Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coe11icient (n-octanol/water)

**Decomposition temperature** Not available. **Viscosity** 3.2 - 3.3 cP

Other data

products

VOC (Weight %) < 265 g/L

### 10. STABILITY AND REACTIVITY

**Conditions to avoid** Not available.

**Hazardous decomposition** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

dioxide and/or low molecular weight hydrocarbons.

Stable under recommended storage conditions. Stability Materials to avoid Incompatible with strong bases and oxidizing

Not available.

agents. Hazardous polymerization Will not occur.

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Skin sensitization Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met Carcinogenicity Based on available data, the classification criteria are not met Germ cell mutagenicity Based on available data, the classification criteria are not met. Toxic to reproduction Based on available data, the classification criteria are not met.

Speci1ic target organ toxicity - single exposure

Specialic target organ toxicity

- repeated exposure

**Aspiration hazard** Based on available data, the classification criteria are not met Other in1ormation Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Toxicological data

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Acute** Oral

**LD50** Guinea pig 5700 mg/kg 5700 mg/kg Rat

Aliphatic diol (CAS Proprietary)

Acute Dermal

LD50 Rabbit > 10000 mg/kg

MSDS Material name: BT-2560N pigmented ink 4 / 5 Issue date: 14-Feb-2023 Version #: 01 12094

Zhuhai Bentsai Electronics Co., Ltd.

2/F, Block A, Xinyuan Building, 115 Huawei Rd, Zhuhai, Guangdong, China. Tel: 0756-8979060 Fax: 0756-8895581

Oral

3680 mg/kg LD50 Rat

MSDS Material name: **BT-2560N** pigmented ink 12094 Version #: 01 Issue date: 14-Feb-2023 5 / 5

Tel: 0756-8979060 Fax: 0756-8895581

**Test Results** Components **Species** Other LD50 1835 mg/kg Mouse

## 12. ECOLOGICAL INFORMATION

**Ecotoxicological data** 

**Components Test Results Species** 

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

**Ecotoxicity** No information available.

This product is highly soluble in water.

**Environmental e11ects** Not available. **Persistence / degradability** Not available.

**Bioaccumulation** 

**Bioaccumulative potential** 

Octanol/water partition coe11icient log Kow

2-pyrrolidone -0.85 Aliphatic diol -0.106

**Aquatic toxicity** No data available for this product.

**Mobility** Not available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Do not allo. this material to drain into se.ers/water supplies.

Dispose of .aste material according to Local, State, Federal, and Provincial Environmental

Regulations.

### 14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Not regulated as dangerous goods.

Further in1ormation Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. REGULATORY INFORMATION

Labeling

R-phrase(s) None. S-phrase(s) None.

If the waste in the form of purchase, this product does not belong to the U.S. Regulatory in1ormation

hazardouswasteproducts out. Users should check if local lawsandregulations on hazardous waste.ResourceRecovery Act, the processing of theuserresponsible for determining: both will beincluded in the hazardous waste containing suchmaterials or derivatives. (40CFR26120-24).

Not included in the DangerousGoods

**Kyoto protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

MSDS Material name: BT-2560N pigmented ink Issue date: 14-Feb-2023 6 / 5

Version #: 01 12094

Tel: 0756-8979060 Fax: 0756-8895581

#### **Rotterdam Convention**

Not applicable.

### **Stockholm Convention**

Not applicable.

#### 16. OTHER INFORMATION

Wording o1 the R-phrases in

sections 2 and 3

R36 Irritating to eyes.

**Disclaimer** 

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Prepared by **Hewlett-Packard Company** 

**Issue date** 06-April-2019

Version # 01

This data sheet contains changes 1rom the previous version in section(s):

1. Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

GHS: Classification

## Explanation o1 abbreviations

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Kno. Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

Resource Conservation and Recovery Act **RCRA** 

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

MSDS Material name: BT-2560N pigmented ink Issue date: 14-Feb-2023 7 / 5 Version #: 01 12094