MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identi1ication o1 the

EB21B pigment Inkjet substance/preparation

Use o1 the

substance/preparation

10-June-2021 **Issue date**

Version # 01 CAS# Mixture

Company identilication Zhuhai bentsai printing Technology Co., Ltd.

Zone B, 2nd floor, No. 115 Huawei Road, Xiangzhou, Zhuhai,

GuangdongProvince,P.R. China

Emergency Information Tel: 0756-8895581

Fax: 0756-8895581

2. HAZARDS IDENTIFICATION

GHS label elements

Signal word None. **Hazard symbols** None. **Hazard statement** None.

Precautionary statement

Prevention None. Response None. **Storage** None. **Disposal** None.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classi1ication
Water	7732-18-5	70-80	231-791-2	
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10	222-359-4	
2-pyrrolidone	616-45-5	< 6.5	210-483-1	Xi;R36
Aliphatic diol	Proprietary	< 5	Proprietary	
invisible ink.colorant	Proprietary	<6.5	Proprietary	

Composition comments This ink supply contains an aqueous ink formulation.

For the full text of the R phrases mentioned in this Section, see Section 16.

MSDS Issue date: 10-June-2021 1/5 12094 Version #: 01

Zhuhai bentsai printing Technology Co., Ltd. Zone B, 2nd floor, No. 115 Huawei Road, Xiangzhou, Zhuhai, GuangdongProvince, P.R. China Tel: 0756-8895581 Fax: 0756-8895581

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if

irritation develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (lo. pressure) Eye contact

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention. **General advice** Wash affected areas thoroughly with mild soap and water.

5. FIRE-FIGHTING MEASURES

Flash point > 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam. None known.

Extinguishing media which must not be used 1or sa1ety

reasons

Unusual 1ire & explosion

hazards

None known.

Speci1ic methods

Hazardous combustion

None established. Refer to section 10.

products

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sever system.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Additional exposure data Exposure limits have not been established for this product.

Engineering measures to

reduce exposure

Use in a well ventilated area.

Personal protective equipment

Skin and body protection Not available.

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene** measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid. Color invisible ink Odor Not available. pН 8.5 - 9.5 Melting point/Freezing point Not available. **Boiling point, initial boiling** Not available.

point, and boiling range

> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

Not available. **Auto-ignition temperature** Flammability limit - lower Not available.

(%)

Flash point

Material name: EB21 pigmente Inkjet Issue date: 10-June-2021 2 / 5 Version #: 01 12094

Not available.

Flammability limit - upper

(%)

Not available. Vapor pressure Speci1ic gravity Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coe11icient (n-octanol/water)

Decomposition temperature Not available. **Viscosity** 3.2 - 3.3 cP

Other data

VOC (Weight %) < 265 g/L

10. STABILITY AND REACTIVITY

Conditions to avoid Not available.

Hazardous decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stability Stable under recommended storage conditions. Materials to avoid Incompatible with strong bases and oxidizing

agents. Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Based on available data, the classification criteria are not met Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Skin sensitization Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met Carcinogenicity Based on available data, the classification criteria are not met Germ cell mutagenicity Based on available data, the classification criteria are not met. **Toxic to reproduction** Based on available data, the classification criteria are not met. Specialic target organ toxicity Based on available data, the classification criteria are not met.

- single exposure

Based on available data, the classification criteria are not met.

Speci1ic target organ toxicity - repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Toxicological data

Other in1ormation

Components Test Results Species 2-pyrrolidone (CAS 616-45-5) **Acute** Oral LD50 5700 mg/kg Guinea pig Rat 5700 mg/kg Aliphatic diol (CAS Proprietary) Acute Dermal **LD50** Rabbit > 10000 mg/kg Oral Rat LD50 3680 mg/kg

Material name: EB21 pigmente Inkjet

Issue date: 10-June-2021 3 / 5 12094 Version #: 01

Zone B, 2nd floor, No. 115 Huawei Road, Xiangzhou, Zhuhai, GuangdongProvince, P.R. China

Tel: 0756-8895581 Fax: 0756-8895581

Components **Species Test Results** Other LD50 1835 mg/kg Mouse

12. ECOLOGICAL INFORMATION

Ecotoxicological data

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ecotoxicity No information available.

This product is highly soluble in water.

Environmental e11ects Not available. Persistence / degradability Not available.

Bioaccumulation

Bioaccumulative potential

Octanol/water partition coe11icient log Kow

2-pyrrolidone -0.85 Aliphatic diol -0.106

Aquatic toxicity No data available for this product.

Mobility Not available.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not allo. this material to drain into se.ers/water supplies.

Dispose of .aste material according to Local, State, Federal, and Provincial Environmental

14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further in1ormation Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

Labeling

R-phrase(s) None. S-phrase(s) None.

Regulatory in1ormation If the waste in the form of purchase, this product does not belong to the U.S.

hazardouswasteproducts out. Users should check if local lawsandregulations on hazardous waste.ResourceRecovery Act, the processing of theuserresponsible for determining: both will beincluded in the hazardous waste containing suchmaterials or derivatives. (40CFR26120-24).

Not included in the DangerousGoods

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

MSDS Material name: **EB21** pigmente Inkjet Issue date: 10-June-2021 4 / 5 12094 Version #: 01

Zhuhai bentsai printing Technology Co., Ltd.
Zone B, 2nd floor, No. 115 Huawei Road, Xiangzhou, Zhuhai, GuangdongProvince,P.R. China Tel: 0756-8895581 Fax: 0756-8895581

Rotterdam Convention

Not applicable.

Stockholm Convention

Not applicable.

16. OTHER INFORMATION

Wording o1 the R-phrases in sections 2 and 3

R36 Irritating to eyes.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Prepared by Hewlett-Packard Company

Issue date 06-April-2019

Version # 01

This data sheet contains changes 1rom the previous version in section(s):

1. Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

GHS: Classification

Explanation o1 abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Kno. Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

 Material name: EB21 pigmente Inkjet

 12094
 Version #: 01
 Issue date: 10-June-2021
 5 / 5